



**1 PLUMBING DEMOLITION PLAN LEVEL 1**  
PD2.11 1/8" = 1'-0"

**PLUMBING GENERAL NOTES:**

- REFER TO GENERAL DEMOLITION NOTES ON ARCHITECTURAL DRAWINGS FOR ADDITIONAL INFORMATION AND SCOPE OF WORK REQUIREMENTS. REFER TO ARCHITECTURAL DRAWINGS FOR DIMENSIONED FLOOR PLANS.
- FIELD VERIFY AS NECESSARY THE EXACT LOCATIONS/ROUTINGS/SIZES OF PLUMBING FIXTURES, PIPING, AND EQUIPMENT TO BE REMOVED OR RE-USED. REFER TO ARCHITECTURAL DRAWINGS FOR CLARIFICATION AS REQUIRED.
- IN THE COURSE OF DEMOLITION, ANY PIPING TO REMAIN THAT IS EXPOSED AND FOUND TO BE UN-LABELED SHALL BE IDENTIFIED AND LABELED ACCORDINGLY. PROVIDE PIPE MARKERS TO INDICATE TYPE OF SERVICE AND DIRECTION OF FLOW.
- IN THE COURSE OF DEMOLITION, THE CONTRACTOR SHALL ASSIST THE OWNER BY BRINGING TO THE DESIGN TEAM'S ATTENTION ANY EXISTING PLUMBING RELATED ITEMS INTENDED TO REMAIN BUT WHICH ARE FOUND TO BE UNFIT FOR SERVICE OR IN NEED OF REPAIR. THIS SHALL INCLUDE, BUT NOT NECESSARILY BE LIMITED TO, THE FOLLOWING: LEAKING OR DETERIORATED PIPING AND VALVES; IMPROPERLY SLOPED/SUPPORTED OR SAGGING PIPE; MISSING, DAMAGED, OR DETERIORATED INSULATION, CODE REQUIRED BUT MISSING BACKFLOW PREVENTION MEASURES; FIXTURES, FLUSH VALVES, FAUCETS, EQUIPMENT AND APPURTENANCES NOT FUNCTIONING AS INTENDED.
- IN THE COURSE OF DEMOLITION, THE CONTRACTOR SHALL ASSIST THE OWNER BY BRINGING TO THE DESIGN TEAM'S ATTENTION ANY EXISTING NON-PLENUM RATED PIPING (PVC, ETC) INTENDED TO REMAIN WHICH IS FOUND IN A RETURN AIR PLENUM SPACE, UNLESS DEEMED UNACCEPTABLE BY THE LOCAL AUTHORITY HAVING JURISDICTION (AHJ) OR OWNER. ALL SUCH PIPING SHALL BE WRAPPED WITH FIRE RESISTANT INSULATION, 3M FIRE BARRIER PLENUM WRAP SA OR FIRE-APPROVED EQUAL THAT HAS BEEN TESTING IN ACCORDANCE WITH ASTM E84 AND UL 910. INSTALLATION SHALL BE IN STRICT ACCORDANCE WITH MANUFACTURER'S RECOMMENDED METHODS.

☐ **PLUMBING KEYED NOTES**

- EXISTING PLUMBING FIXTURE TO BE DEMOLISHED.
- REMOVE EXISTING PIPING AS INDICATED.



2801 Technology Forest Blvd.  
The Woodlands, TX 77381

**Gensler**

909 Fannin St.  
Suite 200  
Houston, TX 77010  
United States  
Tel 713.844.0000  
Fax 713.844.0001

**\*DBR**

DBR Inc.  
9990 Richmond Ave  
South Building, Suite 300  
Houston, TX 77042  
Tel 713.914.0888  
Fax www.dbrinc.com



4B Technology  
390 Glenborough Dr.  
Houston, TX 77067  
Tel 832.249.9379

△ Date	Description
05-17-24	ISSUE FOR PERMIT, PRICING, AND CONSTRUCTION

Seal / Signature



Project Name

Woodlands Township - Office  
Renovation

Project Number

02.9171.000

Description

PLUMBING DEMOLITION PLAN LEVEL  
1

Scale

1/8" = 1'-0"

**PD2.11**



9990 Richmond Avenue  
South Building, Suite 300  
Houston, Texas 77042  
713.914.0888 p 713.914.0888 f  
TBPE Firm Registration No. 2234

DBR Project Number 230237.000

JR TG AM CE --