

**BID PROPOSAL FOR  
ALDEN BRIDGE SPORTS PARK EXPANSION PHASE 1  
THE WOODLANDS TOWNSHIP**

**CONTRACTOR:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**Date visited site and signature:** \_\_\_\_\_

**I hereby acknowledge receiving the following addendums as applicable:**

**Addendum No. 1**      **Sign:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Addendum No. 2**      **Sign:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Addendum No. 3**      **Sign:** \_\_\_\_\_

**Date:** \_\_\_\_\_

ITEM NO.	Spec	DESCRIPTION	QTY	UNIT	UNIT PRICE	EXTENDED TOTAL
<b>SERIES 100: GENERAL</b>						
100	COH 01502	MOBILIZATION	1	LS		
101		BONDS	1	LS		
102	ALL-WEATHER TURF FIELD	PERFORMANCE TESTING OF ARTIFICIAL TURF FIELDS AFTER INSTALLATION TO INCLUDE: BALL ROLL, BALL BOUNCE, FORCE REDUCTION, DEFORMATION, TORQUE, TRACTION, BALL ANGLE, BALL SPEED, EVENNESS, GMAX, SEAMS, INFILL DEPTH. AS SHOWN IN SECTION 9 PART 2.07.M OF THE ALL-WEATHER TURF FIELD SPECIFICATIONS.	1	LS		
					<b>SERIES 100 TOTAL</b>	

<b>SERIES 200: STORM WATER POLLUTION PREVENTION PLAN</b>						
200	COH 01570	SWPPP INSPECTION AND MAINTENANCE (MAX BID - \$2,000/MO)	18	MO		
201	COH 01575	CONCRETE TRUCK WASHOUT STRUCTURES (60% OF UNIT COST FOR FURNISH AND INSTALLATION, AND 40% OF UNIT COST FOR REMOVAL)	1	EA		
202	COH 01570	INLET PROTECTION BARRIER (STAGE 1, WITH FIBER ROLLS; 60% OF UNIT COST FOR FURNISH AND INSTALLATION, AND 40% OF UNIT COST FOR REMOVAL)	7	EA		
204	COH 01570	REINFORCED FILTER FABRIC FENCE (60% OF UNIT COST FOR FURNISH AND INSTALLATION AND 40% OF UNIT COST FOR REMOVAL)	3747	LF		
205	COH 01562	TREE PROTECTION, COMPLETE IN PLACE	3915	LF		
206	COH 01570	TPDES GENERAL PERMIT NO. TXR 150000, NOTICE OF INTENT (NOI) APPLICATION FEES (CONTRACTOR'S NOI FEE SHALL BE FIXED PRICE OF \$225.00)	1	EA		
					<b>SERIES 200 TOTAL</b>	

<b>SERIES 300: SITE PREPARATION AND EARTHWORK</b>						
300	COH 02221	SITE PREPARATION INCLUDING BUT NOT LIMITED TO CLEARING OF TURF, LANDSCAPING, AND OTHER IMPROVEMENTS WITHIN THE WORK AREA	6.38	AC		
301	COH 02233	CLEARING AND GRUBBING OF EXISTING TREES, ALL SIZES, INCLUDING CHIPPING AND OFF-SITE DISPOSAL AS SHOWN ON APPROVED PLANS AND COORDINATED WITH OWNER	7.30	AC		
302	COH 02322	FILL IMPORT USING LOCAL MATERIAL, INCLUDING HAULING AND COMPACTION	30783	CY		
303	COH 02319	SELECTED BORROW FOR BUILDING PAD (IMPORTED SOIL)	115	CY		
					<b>SERIES 300 TOTAL</b>	

<b>SERIES 400: DEMOLITION</b>						
400	COH 02221	REMOVE AND DISPOSE CONCRETE PAVEMENT (ALL DEPTHS) INCLUDING SUB-BASE, SUBGRADE	1,737	SY		
401	COH 02221	REMOVE AND DISPOSE CONCRETE CURB	375	LF		
402	COH 02221	REMOVE PAVEMENT MARKINGS	428	LF		
403	COH 02221	REMOVE EXISTING PARK AND PARKING LOT SIGNAGE, INCLUDING CONCRETE FOUNDATION. (CONTRACTOR TO PROVIDE SIGNS TO OWNER)	13	EA		
404	COH 02221	REMOVE AND DISPOSE EXISTING IRRIGATION SYSTEM INCLUDING CONTROL VALVES, MAINLINES, AND HEADS	1	ALLOW		
405	COH 02221	REMOVE AND DISPOSE EXISTING ROCK RIP RAP	14	SY		
406	COH 02221	REMOVE AND DISPOSE EXISTING 3" PVC STORM PIPE	44	LF		
407	COH 02222	REMOVE AND DISPOSE EXISTING 8" CPP STORM PIPE	42	LF		

408	COH 02221	REMOVE AND DISPOSE EXISTING 8" PVC STORM PIPE	174	LF		
409	COH 02221	REMOVE AND DISPOSE EXISTING 18" PVC STORM PIPE	125	LF		
410	COH 02221	REMOVE AND DISPOSE EXISTING 18" RCP STORM PIPE	33	LF		
411	COH 02221	REMOVE AND DISPOSE EXISTING 3.5'x3.5' CONCRETE BOX CULVERT	17	LF		
412	COH 02221	REMOVE AND DISPOSE EXISTING STORM CATCH BASINS	6	EA		
413	COH 02222	REMOVE AND DISPOSE EXISTING 18" STORM S.E.T.	4	EA		
414	COH 02221	REMOVE AND DISPOSE EXISTING STEEL CABLE FENCE W/ 8" WOODEN POSTS	312	LF		
415	COH 02221	REMOVE AND DISPOSE EXISTING 16' CHAIN LINK FENCE	177	LF		
416		REMOVE AND DISPOSE EXISTING REMOVABLE BOLLARDS	4	EA		
417	COH 02221	REMOVE EXISTING FIELD LIGHTING, POLES, & FOUNDATIONS (CONTRACTOR TO PROVIDE LIGHTING AND POLES TO OWNER)	12	EA		
418	COH 02221	REMOVE AND DISPOSE ELECTRICAL INCLUDING CONDUIT, WIRE, BOXES, ETC. ASSOCIATED WITH REMOVED FIELD LIGHTING	1	LS		
419	COH 02221	REMOVE AND SALVAGE EXISTING SITE FURNISHINGS, INCLUDING BENCHES, TRASH & RECYCLE RECEPTACLES, & BLEACHERS (CONTRACTOR TO RETURN TO OWNER)	1	LS		
420	COH 02221/ DWG	RELOCATE AND SALVAGE EXISTING FLAGPOLE (CONTRACTOR TO RETURN TO OWNER)	2	EA		
421	COH 02221	REMOVE AND SALVAGE EXISTING DRINKING FOUNTAINS (CONTRACTOR TO RETURN TO OWNER)	2	EA		
					<b>SERIES 400 TOTAL</b>	

SERIES 500: UTILITIES						
500	COH 02511	2" SCHEDULE 40 PVC WATER LINE BY OPEN CUT (ALL DEPTHS), INCLUDING BENDS, WYES, CROSSES, PLUGS AND CLAMPS, REDUCERS AND TEES	449	LF		
501	COH 02445	2" SCHEDULE 40 PVC WATER LINE BY BORE (ALL DEPTHS), INCLUDING BENDS, WYES, CROSSES, PLUGS AND CLAMPS, REDUCERS AND TEES	42	LF		
502	COH 02511	6" C900 DR-18 PVC WATER LINE BY OPEN CUT (ALL DEPTHS), INCLUDING BENDS, WYES, CROSSES, PLUGS AND CLAMPS, REDUCERS AND TEES	144	LF		
503	COH 02445	6" C900 DR-18 PVC WATER LINE BY BORE (ALL DEPTHS), INCLUDING BENDS, WYES, CROSSES, PLUGS AND CLAMPS, REDUCERS AND TEES	73	LF		
504	COH 02511	1/2" SCHEDULE 40 PVC WATER LINE BY OPEN CUT (ALL DEPTHS), INCLUDING BENDS, WYES, CROSSES, PLUGS AND CLAMPS, REDUCERS AND TEES	635	LF		
505	COH 02512	INSTALL RELOCATED WATER FOUNTAIN WITH SPIGOT, INCLUDING DRAIN PIPE AND GRAVEL PIT	1	EA		
506	DWG	2" BACKFLOW PREVENTER, COMPLETE IN PLACE	1	EA		
507	COH 02525	12" X 6" TS&V	1	EA		
508	COH 02512	12" X 2" SERVICE SADDLE	1	EA		
509	COH 02520	FIRE HYDRANT ASSEMBLY	1	EA		
510	COH 02531	6" SDR 26 PVC SANITARY SEWER BY OPEN CUT, ALL DEPTHS, COMPLETE IN PLACE	721	LF		
511	COH 02082	48" SANITARY SEWER MANHOLE, ALL DEPTHS, COMPLETE IN PLACE	3	EA		
512	COH 02534	6" SANITARY SEWER CLEANOUT (ALL DEPTHS), COMPLETE IN PLACE	2	EA		
513	COH 02505	12" HDPE STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	99	LF		
514	COH 02506	18" HDPE STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	221	LF		
515	COH 02508	12" SAFETY END TREATMENT (ALL DEPTHS), COMPLETE IN PLACE	2	EA		
516	COH 02509	18" STORM JUNCTION BOX (ALL DEPTHS), COMPLETE IN PLACE	1	EA		
517	COH 02510	48" STORM MANHOLE (ALL DEPTHS), COMPLETE IN PLACE	2	EA		
518	COH 02511	TYPE "A" INLET, COMPLETE IN PLACE	4	EA		
519	COH 02512	TRENCH SAFETY SYSTEM	2384	LF		
520	COH 02534	CONNECT TO EXISTING SANITARY SEWER MANHOLE (ALL DELPTHS, COMPLETE IN PLACE)	1	EA		
521	COH 02513	CONTRACTOR TO ADJUST SANITARY SEWER MANHOLE RIM TO PROPOSED GRADE	3	EA		
					<b>SERIES 500 TOTAL</b>	

SERIES 600: ELECTRICAL						
600	262416	FURNISH AND INSTALL MAIN DISTRIBUTION PANEL 'MDP'	1	EA		
601	262200	FURNISH AND INSTALL TRANSFORMER 'TLDP'	1	LS		
602	262416	FURNISH AND INSTALL PANEL 'LDP'	1	EA		

603	262200 & 262416	FURNISH AND INSTALL MINI POWER ZONE	1	EA		
604	262416	FURNISH AND INSTALL DISTRIBUTION PANEL 'FDP'	1	EA		
605	262816	FURNISH AND INSTALL 200A NONFUSED DISCONNECT	1	EA		
606	N/A	FURNISH AND INSTALL MAIN CONCRETE SLAB & RACK FOR ELEC. EQUIPMENT	1	LS		
607	N/A	FURNISH AND INSTALL CONCRETE SLAB & RACK FOR MINI POWER ZONE	1	LS		
608	260923	FURNISH AND INSTALL TIME CONTROLLER AND PHOTOCELL FOR TRAIL LIGHTING CONTROLS	1	EA		
609	260923	FURNISH AND INSTALL LIGHTING CONTACTOR FOR TRAIL LIGHTING	1	EA		
610	260533	FURNISH AND INSTALL ELECTRICAL GROUND BOXES	33	EA		
611	260519	FURNISH AND INSTALL 350 KCMIL COPPER ELECTRICAL WIRE	90	LF		
612	260519	FURNISH AND INSTALL 250 KCMIL COPPER ELECTRICAL WIRE	7,000	LF		
613	260519	FURNISH AND INSTALL 4/0 AWG COPPER ELECTRICAL WIRE	7,870	LF		
614	260519	FURNISH AND INSTALL 2/0 AWG COPPER ELECTRICAL WIRE	60	LF		
615	260519	FURNISH AND INSTALL 3 AWG COPPER ELECTRICAL WIRE	1,720	LF		
616	260519	FURNISH AND INSTALL 4 AWG COPPER ELECTRICAL WIRE	30	LF		
617	260519	FURNISH AND INSTALL 6 AWG COPPER ELECTRICAL WIRE	2,080	LF		
618	260519	FURNISH AND INSTALL 8 AWG COPPER ELECTRICAL WIRE	23,340	LF		
619	260519	FURNISH AND INSTALL 10 AWG COPPER ELECTRICAL WIRE	9,920	LF		
620	260519	FURNISH AND INSTALL 12 AWG COPPER ELECTRICAL WIRE	16,020	LF		
621	260533	FURNISH AND INSTALL 1" CONDUIT	13,200	LF		
622	260533	FURNISH AND INSTALL 1-1/2" CONDUIT	30	LF		
623	260533	FURNISH AND INSTALL 2" CONDUIT	330	LF		
624	260533	FURNISH AND INSTALL 2-1/2" CONDUIT	30	LF		
625	260533	FURNISH AND INSTALL 3" CONDUIT	3,440	LF		
626	N/A	CONTRACTOR COORDINATION WITH ENTERGY FOR PARKING LOT LIGHTING INSTALLATION, INCLUDED BUT NOT LIMITED TO INSTALLATION OF THE LIGHT POLES AND ACCESS TO THE SITE	1	LS		
627	N/A	CONTRACTOR COORDINATION WITH TECHLINE FOR SPORTS FIELD LIGHTING INSTALLATION, INCLUDING BUT NOT LIMITED TO INSTALLATION OF LIGHT POLE FOUNDATIONS, LIGHT POLES AND FIXTURES.	1	LS		
628	265613 & 265619	TRAIL LIGHTING ASSEMBLIES, INCLUDING LSI INDUSTRIES INC. 5'X5' SQUARE STRAIGHT 11 GAUGE STEEL POLE AT 25' IN HEIGHT WITH BOLT-ON MOUNT AND BEACON RAR2-480L-240-5K7-2-UNV-ASQ-BLT FIXTURES	16	EA		
629	265613	TRAIL LIGHTING LIGHT POLE CONCRETE FOUNDATION	16	EA		
630	260526	FURNISH AND INSTALL ELECTRICAL GROUNDING SYSTEM	1	LS		
631	260519, 260533, & 262726	FURNISH AND INSTALL RECEPTACLES, CABLING, AND CONDUIT FOR SHADE CANOPIES	1	LS		
632	N/A	MISC. ELECTRICAL (RECONNECTION OF EXISTING FIELD LIGHTING TO NEW ELECTRICAL EQUIPMENT)	1	LS		
					<b>SERIES 600 TOTAL</b>	

SERIES 700: PAVING						
700	COH 02775	4" REINFORCED CONCRETE SIDEWALK WITH 2" SAND BASE, COMPLETE IN PLACE	4,894	SY		
701	DWG	4'X8' STEEL PLATE, ASTM A-36 GRADE STEEL WITH ASSOCIATED HARDWARE FOR SIDEWALK CUT, COMPLETE IN PLACE	660	LB		
702	COH 02751	5" REINFORCED CONCRETE PAVEMENT, COMPLETE IN PLACE	4,992.0	SY		
703	COH 02751	6" REINFORCED CONCRETE PAVEMENT, COMPLETE IN PLACE	3,436.0	SY		
704	COH 02751	7" REINFORCED CONCRETE PAVEMENT, COMPLETE IN PLACE	62	SY		
705	COH 02201	6" SUBGRADE PREPARATION. INCLUDES PROOF-ROLLING, MIXING STABILIZER OR SCARIFYING AND COMPACTING TO 95% OF ASTM D 698	18941	SY		
706	COH 02202	HYDRATED LIME FOR SUBGRADE STABILIZATION (15 LB/SY @ 3% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	142.1	TON		
707	COH 02203	FLY-ASH FOR SUBGRADE STABILIZATION (35 LB/SY @ 7% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	331.5	TON		
708	DWG	6" REINFORCED SLOTTED CONCRETE CURB, COMPLETE IN PLACE	20.0	LF		
709	COH 02771	6" REINFORCED CONCRETE CURB, COMPLETE IN PLACE	3,487.0	LF		
710	COH 02767	4" SOLID WHITE TYPE II PAVEMENT MARKING, INCLUDING SURFACE PREPARATION, COMPLETE IN PLACE	5,576.0	LF		
711	COH 02775	ADA CURB RAMP, COMPLETE IN PLACE	14	EA		

712	COH 02771/ DWG	CONCRETE WHEELSTOPS, COMPLETE IN PLACE	8	EA		
713	COH 02767	THERMOPLASTIC HANDICAP SYMBOL PREFABRICATED PAVEMENT MARKING, INCLUDING SURFACE PREPARATION, COMPLETE IN PLACE	8	EA		
714	COH 02767	6" RED PAINTED FIRE LANE STRIPING PER MONTGOMERY COUNTY FIRE CODE, COMPLETE IN PLACE	3351	LF		
					<b>SERIES 700 TOTAL</b>	

<b>SERIES 800: PROPOSED FIELD #1 (210 x 280')</b>						
800		CYNODON DACTYLON 'LATITUDE 36' / BERMUDA GRASS BALLFIELD SOD	58900	SF		
801		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	364	CY		
802		16' NETTING & POLES	230	LF		
803		SPRAY IRRIGATION (FULL COVERAGE)	58900	SF		
					<b>SERIES 800 TOTAL</b>	

<b>SERIES 900: PROPOSED FIELD #2 (228 x 390')</b>						
900		ARTIFICIAL TURF (INCLUDES 2" LEVELING AGGREGATE, 4" AGGREGATE BASE, IMPERMEABLE LINER SAFETY PADDING, TUFFTED STRIPING & DRAINAGE), COMPLETE IN PLACE	88,920	SF		
901		6" SUBGRADE PREPARATION. INCLUDES PROOF-ROLLING, MIXING STABILIZER OR SCARIFYING AND COMPACTING TO 95% OF ASTM D 698	10018	SY		
902		HYDRATED LIME FOR SUBGRADE STABILIZATION (15 LB/SY @ 3% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	75.14	TON		
903		FLY-ASH FOR SUBGRADE STABILIZATION (35 LB/SY @ 7% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	175.32	TON		
904	COH 02507	12" HDPE PERFORATED STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	958	LF		
905	COH 02505	12" HDPE STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	50	LF		
906		ARTIFICIAL TURF MANHOLE ACCESS DETAIL	1.00	EA		
907		6" x 12" REINFORCED CONCRETE MOWSTRIP, COMPLETE IN PLACE	1,015	LF		
908		16' CHAINLINK FENCE	395	LF		
					<b>SERIES 900 TOTAL</b>	

<b>SERIES 1000: PRACTICE FIELD (215' x 315') IMPROVEMENTS</b>						
1000		CYNODON DACTYLON 'LATITUDE 36' / BERMUDA GRASS BALLFIELD SOD	67795	SF		
1001		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	420	CY		
1002	DWG	ARTIFICIAL TURF AND SAFETY PADDING TO COVER EXISTING SANITARY SEWER MANHOLE COVER	1	EA		
1003		SPRAY IRRIGATION (FULL COVERAGE)	67795	SF		
					<b>SERIES 1000 TOTAL</b>	

<b>SERIES 1100: SITE HARDSCAPE &amp; FURNISHINGS</b>						
1100		CONTRACTOR COORDINATION FOR PREFABRICATED RESTROOM BUILDING INSTALLATION, INCLUDING BUT NOT LIMITED TO PERMITTING OF THE BUILDING PLANS, INSTALLATION OF THE BUILDING, ACCESS TO THE SITE, MATTING REQUIREMENTS, AND UTILITY CONNECTIONS, COMPLETE IN PLACE	1	LS		
1101		GUTTER ADD-ON FOR RESTROOM BUILDING	115	LF		
					<b>SERIES 1100 TOTAL</b>	

<b>SERIES 1200: FUTURE PLAYGROUND AREA</b>						
1200		BERMUDA SOD (CYNODON DACTYLON)	675	SF		
1201		BERMUDA HYDROMULCH (CYNODON DACTYLON)	12865	SF		
1202		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	84	CY		
1203		SPRAY IRRIGATION (FULL COVERAGE)	13540	SF		
					<b>SERIES 1200 TOTAL</b>	

<b>SERIES 1300: LANDSCAPE AND IRRIGATION</b>						
1300		WATER OAK (QUERCUS NIGRA) - 65 GAL.	6	EA		
1301		SOUTHERN LIVE OAK (QUERCUS VIRGINIANA) - 65 GAL.	11	EA		
1302		JAPANESE PRIVET (LIGUSTRUM JAPONICUM) - 3 GAL.	423	EA		

1303		BERMUDA SOD (CYNODON DACTYLON)	54,526	SF		
1304		BERMUDA HYDROMULCH (CYNODON DACTYLON)	238,620	SF		
1305		PLANTING SOIL BED MIX, 6" DEPTH, AMEND NATIVE TOPSOIL	135	CY		
1306		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	1,809	CY		
1307		HARDWOOD MULCH, 2" DEPTH AT PLANTING BEDS	70	CY		
1308		IRRIGATION AREA, SPRAY SYSTEM	6,190	SF		
1309		IRRIGATION AREA, DRIP SYSTEM	7,295	SF		
					<b>SERIES 1300 TOTAL</b>	

<b>SERIES 1400: TxDOT DRIVEWAY</b>						
1400		INLET PROTECTION BARRIER (STAGE 1, WITH FIBER ROLLS; 60% OF UNIT COST FOR FURNISH AND INSTALLATION, AND 40% OF UNIT COST FOR REMOVAL)	1	EA		
1401		REINFORCED FILTER FABRIC FENCE (60% OF UNIT COST FOR FURNISH AND INSTALLATION AND 40% OF UNIT COST FOR REMOVAL)	340	LF		
1402		TREE PROTECTION, COMPLETE IN PLACE	500	LF		
1403		SITE PREPARATION INCLUDING BUT NOT LIMITED TO CLEARING OF TURF, LANDSCAPING, AND OTHER IMPROVEMENTS WITHIN THE WORK AREA	0.2	AC		
1404		CLEARING AND GRUBBING OF EXISTING TREES, ALL SIZES, INCLUDING CHIPPING AND OFF-SITE DISPOSAL AS SHOWN ON APPORVED PLANS AND COORDINATED WITH OWNER	0.6	AC		
1405		REMOVE EXISTING SIGNAGE, INCLUDING CONCRETE FOUNDATION. (CONTRACTOR TO COORDINATE REMOVAL AND REPLACEMENT OF SIGNAGE WITH TxDOT)	1	EA		
1406		TYPE 'AZ' INLET	1	EA		
1407		BERMUDA SOD (CYNODON DACTYLON)	875	SF		
1408		4" REINFORCED CONCRETE SIDEWALK WITH 2" SAND BASE, COMPLETE IN PLACE	32	SY		
1409		6" REINFORCED CONCRETE PAVEMENT, COMPLETE IN PLACE	1,200.0	SY		
1410		6" SUBGRADE PREPARATION. INCLUDES PROOF-ROLLING, MIXING STABILIZER OR SCARIFYING AND COMPACTING TO 95% OF ASTM D 698	1320	SY		
1411		HYDRATED LIME FOR SUBGRADE STABILIZATION (15 LB/SY @ 3% BY DRY UNIT WEIGHT), RREFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	9.90	TON		
1412		FLY-ASH FOR SUBGRADE STABILIZATION (35 LB/SY @ 7% BY DRY UNIT WEIGHT), RREFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	23.10	TON		
1413		6" REINFORCED CONCRETE CURB, COMPLETE IN PLACE	633.0	LF		
1414		STRIPING AND SIGNAGE	1	LS		
1415		CONCRETE, REINFORCED RETAINING WALL WITH FOOTING, COMPLETE IN PLACE	1	LS		
1416		TxDOT TRAFFIC CONTROL PERMIT	1	LS		
					<b>SERIES 1400 TOTAL</b>	

<b>BID SUMMARY</b>
<b>SERIES 100 - GENERAL</b>
<b>SERIES 200 - STORM WATER POLLUTION PREVENTION PLAN</b>
<b>SERIES 300 - SITE PREPARATION AND EARTHWORK</b>
<b>SERIES 400 - DEMOLITION</b>
<b>SERIES 500 - UTILITIES</b>
<b>SERIES 600 - ELECTRICAL</b>
<b>SERIES 700 - PAVING</b>
<b>SERIES 800 - PROPOSED FIELD #1 (210 x 280')</b>
<b>SERIES 900 - PROPOSED FIELD #2 (228 x 390')</b>
<b>SERIES 1000 - PRACTICE FIELD (215' x 315') IMPROVEMENTS</b>
<b>SERIES 1100 - SITE HARDSCAPE &amp; FURNISHINGS</b>
<b>SERIES 1200 - PLAYGROUND</b>
<b>SERIES 1300 - LANDSCAPE AND IRRIGATION</b>
<b>SERIES 1400 - TxDOT DRIVEWAY</b>

Base Bid Total \_\_\_\_\_

CALENDAR DAYS NEEDED FOR SUBSTANTIAL COMPLETION \_\_\_\_\_  
CALENDAR DAYS NEEDED FOR FINAL COMPLETION \_\_\_\_\_

SERIES 1600: ADD ALTERNATE NO. 1 - PROPOSED GRASS FIELD #3 (225 x 360') IMPROVEMENTS						
1600		CYNODON DACTYLON 'LATITUDE 36' / BERMUDA GRASS BALLFIELD SOD	84,590	SF		
1601		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	523	CY		
1602		SPRAY IRRIGATION (FULL COVERAGE)	84,590	SF		
1603		16' CHAINLINK FENCE	244	LF		
1604		4' CHAINLINK FENCE	1,004	LF		
1605		4' CHAINLINK SINGLE GATE	1	EA		
1606		4' CHAINLINK DOUBLE GATE	3	EA		
1607		4" REINFORCED CONCRETE SIDEWALK WITH 2" SAND BASE, COMPLETE IN PLACE	957.2	SY		
1608	DWG	ARTIFICIAL TURF AND SAFETY PADDING TO COVER EXISTING SANITARY SEWER MANHOLE COVER	1	EA		
1609	262200 & 262416	FURNISH AND INSTALL MINI POWER ZONE	1	EA		
1610	N/A	FURNISH AND INSTALL SLAB AND RACK FOR MINI POWER ZONE	1	LS		
1611	260533	FURNISH AND INSTALL GROUND BOXES (FIELD 3)	7	EA		
1612	260519	FURNISH AND INSTALL 12 AWG COPPER ELECTRICAL WIRE	3810	LF		
1613	260519	FURNISH AND INSTALL 6 AWG COPPER ELECTRICAL WIRE	4600	LF		
1614	260519	FURNISH AND INSTALL 8 AWG COPPER ELECTRICAL WIRE	10160	LF		
1615	260533	FURNISH AND INSTALL 1" CONDUIT	3660	LF		
1616	260533	FURNISH AND INSTALL 1-1/4" CONDUIT	1150	LF		
1617	260519, 260533, & 262726	FURNISH AND INSTALL RECEPTACLES, CABLING, AND CONDUIT FOR SHADE CANOPIES	1	LS		
1618	265613 & 265619	TRAIL LIGHTING ASSEMBLIES (FIELD 3), INCLUDING LSI INDUSTRIES INC. 5'X5' SQUARE STRAIGHT 11 GAUGE STEEL POLE AT 25' IN HEIGHT WITH BOLT-ON	6	EA		
1619	265613	FURNISH AND INSTALL TRAIL LIGHTING LIGHT POLE CONCRETE FOUNDATION	6	EA		
					SERIES 1600 TOTAL	

SERIES 1700: ADD ALTERNATE NO. 2 - PROPOSED TURF FIELD #3 (225 x 360') IMPROVEMENTS						
1700	ALL-WEATHER TURF FIELD	ARTIFICIAL TURF (INCLUDES 2" LEVELING AGGREGATE, 4" AGGREGATE BASE, IMPERMEABLE LINER SAFETY PADDING, TUFTED STRIPING & DRAINAGE), COMPLETE IN PLACE	84,590	SF		
1701		6" SUBGRADE PREPARATION. INCLUDES PROOF-ROLLING, MIXING STABILIZER OR SCARIFYING AND COMPACTING TO 95% OF ASTM D 698	9400	SY		
1702		HYDRATED LIME FOR SUBGRADE STABILIZATION (15 LB/SY @ 3% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	70.50	TON		
1703		FLY-ASH FOR SUBGRADE STABILIZATION (35 LB/SY @ 7% BY DRY UNIT WEIGHT), REFERENCE GEOTECHNICAL STUDY BY TERRACON, PROJECT NO. 97235079	164.50	TON		
1704		6" x 12" REINFORCED CONCRETE MOWSTRIP, COMPLETE IN PLACE	1,140	LF		
1705		16' CHAINLINK FENCE	244	LF		
1706		4" REINFORCED CONCRETE SIDEWALK WITH 2" SAND BASE, COMPLETE IN PLACE	957.2	SY		
1707	COH 02507	12" HDPE PERFORATED STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	895	LF		
1708	COH 02505	12" HDPE STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	67	LF		
1709	DWG	ARTIFICIAL TURF AND SAFETY PADDING TO COVER EXISTING SANITARY SEWER MANHOLE COVER FOR ACCESSIBILITY	1	EA		
1710	262200 & 262416	FURNISH AND INSTALL MINI POWER ZONE	1	EA		
1711	N/A	FURNISH AND INSTALL SLAB AND RACK FOR MINI POWER ZONE	1	LS		
1712	260533	FURNISH AND INSTALL GROUND BOXES (FIELD 3)	7	EA		
1713	260519	FURNISH AND INSTALL 12 AWG COPPER ELECTRICAL WIRE	3810	LF		
1714	260519	FURNISH AND INSTALL 6 AWG COPPER ELECTRICAL WIRE	4600	LF		
1715	260519	FURNISH AND INSTALL 8 AWG COPPER ELECTRICAL WIRE	10160	LF		
1716	260533	FURNISH AND INSTALL 1" CONDUIT	3660	LF		
1717	260533	FURNISH AND INSTALL 1-1/4" CONDUIT	1150	LF		
1718	260519, 260533, & 262726	FURNISH AND INSTALL RECEPTACLES, CABLING, AND CONDUIT FOR SHADE CANOPIES	1	LS		

1719	265613 & 265619	TRAIL LIGHTING ASSEMBLIES (FIELD 3), INCLUDING LSI INDUSTRIES INC. 5'X5' SQUARE STRAIGHT 11 GAUGE STEEL POLE AT 25' IN HEIGHT WITH BOLT-ON MOUNT AND BEACON RAR2-480L-240-5K7-2-UNV-ASQ-BLT FIXTURES	6	EA		
1720	265613	FURNISH AND INSTALL TRAIL LIGHTING LIGHT POLE CONCRETE FOUNDATION	6	EA		
<b>DEDUCTIONS</b>						
1721		FILL IMPORT USING LOCAL MATERIAL, INCLUDING HAULING AND COMPACTION	5420	CY		
					<b>SERIES 1700 TOTAL</b>	

<b>SERIES 1800: ADD ALTERNATE NO. 3 - PLAYGROUND</b>						
1800		PLAY EQUIP TBD, FURNISH AND INSTALL	1	LS		
1801		ENGINEERED WOOD FIBER SAFETY SURFACING (12" MINIMUM), WITH COMPACTED SUBGRADE & DRAINAGE, COMPLETE IN PLACE	355	CY		
1802		4' ORNAMENTAL METAL FENCE	440	LF		
1803	COH 02507	6" HDPE PERFORATED STORM SEWER (ALL DEPTHS), COMPLETE IN PLACE	223	LF		
1804		12" X 12" REINFORCED CONCRETE MOW BAND, COMPLETE IN PLACE	440	LF		
<b>DEDUCTIONS</b>						
1805		BERMUDA HYDROMULCH (CYNODON DACTYLON)	12865	SF		
1806		BERMUDA SOD (CYNODON DACTYLON)	675	SF		
1807		TURF AREA SOIL, 2" DEPTH, AMEND NATIVE TOPSOIL	84	CY		
1808		SPRAY IRRIGATION (FULL COVERAGE)	13540	SF		
1809		FILL IMPORT USING LOCAL MATERIAL, INCLUDING HAULING AND COMPACTION	597	CY		
					<b>SERIES 1800 TOTAL</b>	

<b>SERIES 1900: ADD ALTERNATE NO. 6 - PROPOSED FIELD #1 (210 x 280')</b>						
2000		4' CHAINLINK FENCE	782	LF		
2001		4' CHAINLINK DOUBLE GATE	1	EA		
2002		4' CHAINLINK SINGLE GATE	1	EA		
					<b>SERIES 1900 TOTAL</b>	

<b>SERIES 2000: ADD ALTERNATE NO. 7 - PRACTICE FIELD (215' x 315') IMPROVEMENTS</b>						
2100		4' CHAINLINK FENCE	808	LF		
2101		4' CHAINLINK DOUBLE GATE	3	EA		
2102		16' CHAINLINK FENCE	292	LF		
					<b>SERIES 2000 TOTAL</b>	

<b>BID SUMMARY</b>						
<b>SERIES 100 - GENERAL</b>						
<b>SERIES 1600 - ADD ALTERNATE NO. 1 - PROPOSED GRASS FIELD #3 (225 x 360') IMPROVEMENTS</b>						
<b>SERIES 1700: ADD ALTERNATE NO. 2 - PROPOSED TURF FIELD #3 (225 x 360') IMPROVEMENTS</b>						
<b>SERIES 1800 - ADD ALTERNATE NO. 3 - PLAYGROUND</b>						
<b>SERIES 1900 - ADD ALTERNATE NO. 6 - PROPOSED FIELD #1 (210 x 280')</b>						
<b>SERIES 2000- ADD ALTERNATE NO. 7 - PRACTICE FIELD (215' x 315') IMPROVEMENTS</b>						